Standards based Approach to Video Archive Search and Analysis

OSAVASA

TRECVID – Interactive Surveillance Event Detection Task 2012









Outline

Who are we?

What did we do?

What did we learn?

What do we plan to do next?

Who are we?



Standards-based Approach to Video Archive Search and Analysis

EU FP7 STREP

Dec 2011 - May 2014

12 partners



Who are we?



CLARITY, DCU, Ireland

- Person/object detection
- Event recognition

University of Ulster, UK



- High-level semantic annotation
- Person detection, gesture recognition

Vicomtech, Spain

- Person detection and tracking

Discussions started in June, f2f meeting at end of July

Get real users to perform interactive search!

- Vicomtech, IKUSI, RENFE, Hi-Iberia

Three events: ObjectPut, PersonRuns, Pointing

Two cameras: CAM1 and CAM3
Submitted 2 interactive and
6 retrospective runs









Harris Corner points \rightarrow KLT \rightarrow Sparse Trajectories \rightarrow 15 frame window \rightarrow HOG+HOF+MBH+TD \rightarrow K-means clustering \rightarrow SVM (RBF kernel)








Interface





'end users' and 'experts'

- 1. Introduction to TRECVid and SAVASA project aims
- 2. Demonstration of interface using the EVAL08 portion of the training dataset (results all 'correct').
- 3. User 'trains' on the interface using the EVAL08 dataset.
- 4. User is instructed to 'be generous' and save any segment that they think might be showing the event. User told that time is a 'limit' not an instruction to spend the full amount if they feel they are finished.
- 5. User searches for 'PersonRuns', 'Pointing', 'ObjectPut' events.
- 6. Results lists merged by a simple vote and detection scores normalised.

What happened?



False alarms would be close to 0


'experts' would do better than 'end users'

•••

	'expert'	'end user'	all
ObjectPut	1109	238	673
PersonRuns	187	95	141
Pointing	1020	184	602

Mean search duration in seconds

What happened?



'End users' were (slightly) better than 'experts'?

Very high numbers of false alarms



What did we learn?

How our different video analysis tools work

Processing time - how to manage TRECVid volume

About our end users

"But I'm not interested in when a person points"

"How can I tell if that person is putting their cup down?!"

"Can you make the drop area larger?"

What do we plan to do next?

SAVASA project runs until May 2014

Hoping to get real data from our end user partners

Technical ideas:

exploiting region of interest statistics

integrating a spatial relation into the descriptors

how to be more efficient using SAVASA's cloud

fusion of methods – early vs. late

Acknowledgements



The research leading to these results has received funding from the European Union Seventh Framework Programme (FP7/2007-2013) under grant agreement number 285621, project titled SAVASA. With thanks to our project partners who assisted in hosting and conducting user evaluations.

Iveel Jargalsaikhan, Cem Direkoglu, Alan Smeaton, Noel O'Connor (DCU) Kathy Clawson, Hao Li (UU)

Marco Nieto (Vicomtech)

Aitor Rodriguez, Pedro Sanchez (IKUSI)

Karina Villarroel Paniza, Ana Martinez Llorens (RENFE)

Roberto Gimenez, Raul Santos de la Camara, Anna Mereu (Hi-Iberia)

With thanks to:

Kevin McGuinness (AXES project) for interface code